

2017 Honda Accord Sedan Specifications

Engineering

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
Engine Block / Cylinder Head: Aluminum-Alloy	•	•	•	•	•	•	•
Displacement (cc):	2356	2356	2356	2356	2356	3471	3471
Redline: 6800 rpm	•	•	•	•	•	•	•
Bore and Stroke (mm):	87 x 99.1	87 x 99.1	87 x 99.1	87 x 99.1	87 x 99.1	89 x 93	89 x 93
Compression Ratio:	11.1 : 1	11.1 : 1	11.1 : 1	11.1 : 1	11.1 : 1	10.5 : 1	10.5 : 1
Drive-by-Wire Throttle System	•	•	•	•	•	•	•
Eco Assist™ System	•	•	•	•	•	•	•
Active Noise Cancellation™ (ANC)	•	•	•	•	•	•	
Remove Engine Start				CVT Model	•	•	•
Active Sound Control	•		•	•	•	•	
Hill Start Assist	•		•	•	•	•	
Direct Ignition System with Immobilizer	•		•	•	•	•	•
Variable Cylinder Management™ (VCM®)						•	•
100K +/- Miles No Scheduled Tune-Ups ¹	•		•	•	•	•	•
Engine Type							
In-Line 4-Cylinder	•	•	•	•	•		
V-6						•	•
Horsepower (SAE net):							
185 @ 6400 rpm	•			•	•		
189 @ 6400 rpm		•	•				
278 @ 6200 rpm						•	•
Torque (SAE net):							
181 lb-ft @ 3900 rpm	•			•	•		
182 lb-ft @ 3900 rpm		•	•				
252 lb-ft @ 4900 rpm						•	•
Valve Train:							
16-Valve DOHC i-VTEC®	•	•	•	•	•		
24-Valve SOHC i-VTEC®						•	•
Fuel Injection							
Direct	•	•	•	•			
Multi-Point						•	•
CARB Emissions Rating ² :							

6MT: LEV3-ULEV125	•	•	•	•			
CVT: PZEV or LEV3-SULEV30	•	•	•	•	•		
6AT: PZEV or LEV3-SULEV30						•	•

6MT = 6-Speed Manual Transmission • CVT = Continuously Variable Transmission • 6AT = 6-Speed Automatic Transmission

Transmissions

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
6-Speed Manual Transmission (6MT)	•	•	•	•	•	•	•
Electronic Continuously Variable Transmission (E-CVT) with Sport Mode	•	•	•	•	•	•	•
6-Speed Automatic Transmission (6AT) with Sport Mode	•	•	•	•	•	•	•

6 Speed Manual Transmission	Continuously Variable Transmission (CVT) with Sport Mode	6-Speed Automatic Transmission (6AT) with Sport Mode
Gear : Ratio	Gear : Ratio	Gear : Ratio
1st : 3.643	Forward: 2.645~0.405	1st : 3.359
2nd : 2.080	Reverse: 1.859~1.265	2nd : 2.095
3rd : 1.361	Final Drive Ratio: 4.105	3rd : 1.485
4th : 1.024		4th : 1.065
5th: 0.830		5th: 0.754
6th: 0.686		6th: 0.556
Reverse: 3.673		Reverse: 2.269
Final Drive Ratio: 4.105		Final Drive Ratio : 3.941

Body / Suspension / Chassis

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
MacPherson Strut Front Suspension	•	•	•	•	•	•	•
Multi-Link Rear Suspension	•	•	•	•	•	•	•
Front Shock Tower Bar		•	•	•	•	•	•
Stabilizer Bar							
Front: 17 mm	•	•	•	•	•		
Rear: 14 mm	•	•	•	•	•		
Front: 19 mm						•	•
Rear: 15 mm						•	•
Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•	•	•	•	•
Steering Wheel Turns, Lock-to-Lock:	2.54	2.46	2.46	2.54	2.54	2.55	2.47
Steering Ratio:	13.23	13.41	13.41	13.23	13.23	13.31	13.49
Turning Diameter, Curb-to-Curb: (ft)	38.1	39.6	39.6	38.1	38.1	38.1	39.6

Power-Assisted Brakes	•	•	•	•	•	•	•
Ventilated Front Disc: 11.5 in	•			•	•	•	
Ventilated Front Disc: 12.3 in		•	•				•
Solid Rear Disc: 11.1 in	•	•	•	•	•	•	•
Wheels:							
16" Alloy	•						
17" Alloy				•	•	•	
19" Alloy		•	•				•
All-Season Tires:							
205/65 R16 95H	•						
215/55 R17 94V						•	
235/40 R19 96V		•	•				•

Exterior Measurements

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
Wheelbase: 109.3 in	•	•	•	•	•	•	•
Length: 192.5 in	•	•	•	•	•	•	•
Height: 57.7 in	•	•	•	•	•	•	•
Width: 72.8 in	•	•	•	•	•	•	•
Track — Front: 62.4 in		•	•	•	•	•	•
Track — Front: 62.8 in	•						
Track — Rear: 62.6 in				•	•	•	•
Track — Rear: 62.7 in		•	•				•
Track — Rear: 63.0 in	•						
Curb Weight for 6MT	3170 lbs	3300 lbs	3300 lbs	3267 lbs			
Curb Weight for CVT	3239 lbs	3369 lbs	3369 lbs	3336 lbs	3360 lbs		
with Honda Sensing™	3245 lbs	3375 lbs	3375 lbs	3343 lbs	3367 lbs		
Curb Weight for 6AT						3543 lbs	
with Honda Sensing™						3549 lbs	3605 lbs
Weight Distribution for 6MT (front / rear, %)	59 / 41	59 / 41	59 / 41	59 / 41			
Weight Distribution for CVT (front / rear, %)	60 / 40	60 / 40	60 / 40	60 / 40	60 / 40		
Weight Distribution for 6AT (front / rear, %)						62 / 38	62 / 38

Interior Measurements

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
Headroom — Front (in)	39.1	39.1	39.1	37.6	37.6	37.6	37.6
Headroom — Rear (in)	37.5	37.5	37.5	37.0	37.0	37.0	37.0

Legroom — Front: 42.5 in	•	•	•	•	•	•	•
Legroom — Rear: 38.5 in	•	•	•	•	•	•	•
Shoulder Room — Front: 58.6 in	•	•	•	•	•	•	•
Shoulder Room — Rear: 56.5 in	•	•	•	•	•	•	•
Hiproom — Front: 55.6 in	•	•	•	•	•	•	•
Hiproom — Rear: 54.7 in	•	•	•	•	•	•	•
Cargo Volume (cu ft):	15.8	15.8	15.8	15.8	15.5	15.5	15.5
Passenger Volume (cu ft)	103.2	103.2	103.2	103.2	100.8	100.8	100.8
Seating Capacity: 5	•	•	•	•	•	•	•

EPA Mileage Ratings³ / Fuel

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
6-Speed Manual Transmission (6MT)							
City: 23 MPG	•	•	•	•			
Highway: 32 MPG	•	•	•				
Combined: 26 MPG	•	•	•	•			
Continuously Variable Transmission (CVT)							
City: 26 MPG		•	•				
City: 27 MPG	•			•			
Highway: 34 MPG		•	•				
Highway: 36 MPG	•			•	•		
Combined: 29 MPG		•	•				
Combined: 30 MPG	•			•	•		
6-Speed Automatic Transmission (6AT)							
City: 21 MPG						•	•
Highway: 33 MPG						•	•
Combined: 25 MPG						•	•
Fuel Tank Capacity: 17.2 gal	•	•	•	•	•	•	•
Required Fuel: Regular Unleaded	•	•	•	•	•	•	•

Active Safety

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
Vehicle Stability Assist™ (VSA [®]) with Traction Control ⁴	•	•	•	•	•	•	•
Anti-Lock Braking System (ABS)	•	•	•	•	•	•	•
Electronic Brake Distribution (EBD)	•	•	•	•	•	•	•
Brake Assist	•	•	•	•	•	•	•
Multi-Angle Rearview Camera with Dynamic Guidelines ⁵	•	•	•	•	•	•	•

Tire Pressure Monitoring System (TPMS) ⁶	•	•	•	•	•	•	•
Daytime Running Lights (DRL)	•	LED	LED	LED	LED	LED	LED
Forward Collision Warning (FCW) ⁷ (HS)	Available	Available		Available	Available	Available	•
Lane Departure Warning (LDW) ⁸ (HS)	Available	Available		Available	Available	Available	•
Collision Mitigation Braking System™ (CMBS™) ⁹ (HS)	Available	Available		Available	Available	Available	•
Road Departure Mitigation System (RDM) ¹⁰ (HS)	Available	Available		Available	Available	Available	•

(HS) = feature is a component of the Honda Sensing suite of safety and driver-assistive features

Passive Safety

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
Advanced Compatibility Engineering™ (ACE™) Body Structure	•	•	•	•	•	•	•
Dual-Stage, Multiple-Threshold Front Airbags (SRS)	•	•	•	•	•	•	•
SmartVent [®] Front Side Airbags	•	•	•	•	•	•	•
Side Curtain Airbags with Rollover Sensor	•	•	•	•	•	•	•
3-Point Seat Belts at All Seating Positions	•	•	•	•	•	•	•
Front 3-Point Seat Belts with Automatic Tensioning System	•	•	•	•	•	•	•
Driver's and Front Passenger's Seat-Belt Reminder	•	•	•	•	•	•	•
Child-Proof Rear Door Locks	•	•	•	•	•	•	•
Lower Anchors and Tethers for CHildren (LATCH)	•	•	•	•	•	•	•
Lower Anchors (2nd-Row Outboard)	•	•	•	•	•	•	•
Tether Anchors (2nd-Row All)	•	•	•	•	•	•	•

Driver Assistance Technology

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
Lane Keeping Assist System (LKAS) ¹¹ (HS)	Available	Available		Available	Available	Available	•
Adaptive Cruise Control (ACC) ¹² (HS)	Available	Available		Available	Available	Available	•
Honda LaneWatch™ ¹³				•	•	•	•
Auto High-Beam Headlights							•

(HS) = feature is a component of the Honda Sensing suite of safety and driver-assistive features

Exterior Features

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
Aluminum Hood	•	•	•	•	•	•	•
Security System with Remote Entry and Trunk Release	•	•	•	•	•	•	•
Integrated Rear Window Antenna	•	•	•	•	•	•	•
Taillights with Integrated LED Light Bars	•	•	•	•	•	•	•
One-Touch Turn Indicators	•	•	•	•	•	•	•

LED Fog Lights	•	•	•	•	•	•	•
Chrome Door Handles	•	•	•	•	•	•	•
Variable Intermittent Windshield Wipers	•	•	•	•	•	•	Rain-sensing
Smart Entry				•	•	•	•
Body-Colored Decklid Spoiler		•	•				•
Body-Colored Parking Sensors (front/rear)							•
Chrome Exhaust Finisher	•	Dual-Exhaust	Dual-Exhaust	•	•	Dual-Exhaust	Dual-Exhaust
Roof-Mounted Antenna				•	•	•	•
One-Touch Power Moonroof with Tilt Feature				•	•	•	•
Body-Colored Power Side Mirrors	•	•	•				
Including Expanded View Driver's Mirror				•	•	•	•
Including Integrated Turn Indicators				•	•	•	•
Heated Side Mirrors				•	•	•	•
Projector-Beam Halogen Headlights with Auto-On / Off	•	•	•	•	•	•	
LED Headlights with Auto-On / Off							•

Comfort and Convenience

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
Dual-Zone Automatic Climate Control System	•	•	•	•	•	•	•
Power Door Locks / Programmable Auto-Locking Doors	•	•	•	•	•	•	•
Push Button Start				•	•	•	•
Cruise Control	•	•	•	•	•	•	•
Tilt and Telescopic Steering Column	•	•	•	•	•	•	•
Center Console with Armrest and Storage Compartment	•	•	•	•	•	•	•
Beverage Holders (front and rear)	•	•	•	•	•	•	•
Driver's and Front Passenger's Illuminated Vanity Mirrors	•	•	•	•	•	•	•
Map Lights	•	•	•	•	•	•	•
Sunglasses Holder	•	•	•	•	•	•	•
12-Volt Power Outlets (front & center console)	•	•	•	•	•	•	•
Remote Fuel Filler Door Release	•	•	•	•	•	•	•
Remote Trunk Release with Lock	•	•	•	•	•	•	•
Electronic Remote Trunk Release	•	•	•	•	•	•	•
Rear-Window Defroster	•	•	•	•	•	•	•
Cargo Area Light	•	•	•	•	•	•	•
Floor Mats	•	•	•	•	•	•	•
Side Door Pockets	•	•	•	•	•	•	
Lockable Glove Compartment				•	•	•	•
Illuminated Power Window Switches	driver only	driver only	driver only	•	•	•	

HomeLink [®] Remote System ¹⁴				•	•	•	•
Automatic-Dimming Rearview Mirror					•	•	•
Leather-Wrapped Steering Wheel and Shift Knob		•	•		•	•	•
Illuminated Steering Wheel-Mounted Controls	•	•	•	•	•	•	•
Power Windows with Auto-Up / Down							
Power Windows with Auto-Up / Down Driver's Window	•	•	•				
·	•	•					•

Seating

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
Adjustable Front Seat-Belt Anchors	•	•	•	•	•	•	•
Fold-Down Rear-Seat Center Armrest	•						
60/40 Split		•	•	•	•	•	•
Heated Seats			Front		Front	Front	Front and Outboard Rear
Leather-Trimmed Seats			•		•	•	•
Driver's Seat							
with Manual Height Adjustment							
with 10-Way Power Adjustment, Including Power Lumbar Support		•	•	•	•	•	•
with Two-Position Memory					•	•	•
Front Passenger's Seat with 4-Way Power Adjustment					•	•	•

Audio and Connectivity

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
MP3 / Auxiliary Input Jack	•	•	•				
i-MID with High-Resolution WVGA (800x480) Screen	•	•	•	•	•	•	•
Bluetooth® HandsFreeLink® ¹⁵	•	•	•	•	•	•	•
Bluetooth [®] Streaming Audio ¹⁵	•	•	•	•	•	•	•
Pandora ^{®16} Compatibility	•	•	•	•	•	•	•
Radio Data System (RDS)	•	•	•	•	•	•	•
Speed-Sensitive Volume Control (SVC)	•	•	•	•	•	•	•
SMS Text Message Function ¹⁷	•	•	•	•	•	•	•
USB Audio Interface ¹⁸							
Front	1.0-Amp Charging Port	1.0-Amp Charging Port	1.0-Amp Charging Port	1.5-Amp Charging Port	1.5-Amp Charging Port	1.5-Amp Charging Port	1.5-Amp Charging Port
Center Console				1.0-Amp Charging Port	1.0-Amp Charging Port	1.0-Amp Charging Port	1.0-Amp Charging Port
7" Display Audio with High-Resolution WVGA (800x480) Electrostatic Touch-Screen				•	•	•	•

HondaLink ^{®19}				•	•	•	•
Apple CarPlay ^{™20} / Android Auto™ ²¹				•	•	•	•
SiriusXM [®] Radio ²²				•	•	•	•
HD Radio™ ²³				•	•	•	•
Honda Satellite-Linked Navigation System™ with Voice Recognition ²⁴ , Honda HD Digital Traffic and Song By Voice® (SBV)					Available	Available	
Audio Systems							
160-Watt Audio System with 4 Speakers	•	•	•				
160-Watt Audio System with 6 Speakers				•			
360-Watt Premium Audio System with 7 Speakers, Including Subwoofer					•	•	•

Multi-Information Display

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
Average Fuel Economy Indicators (2)	•	•	•	•	•	•	•
Average Speed Indicator	Honda Sensing	Honda Sensing	•	Honda Sensing	Honda Sensing	Honda Sensing	•
Elapsed Time Indicator	Honda Sensing	Honda Sensing	•	Honda Sensing	Honda Sensing	Honda Sensing	•
Engine Oil Life Indicator	•	•	•	•	•	•	•
Exterior Temperature Indicator	•	•	•	•	•	•	•
Instant Fuel Economy Indicator	•	•	•	•	•	•	•
Maintenance Minder™ System	•	•	•	•	•	•	•
Miles-to-Empty Indicator	•	•	•	•	•	•	•
Odometer and Trip Meters (2)	•	•	•	•	•	•	•

Intelligent Multi-Information Display

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
Audio Information	•	•	•	•	•	•	•
Customizable Feature Settings	•	•	•				
Clock	•	•	•	•	•	•	•
Miles-to-Empty Indicator	•	•	•	•	•	•	•
Compass					•	•	•
Turn-By-Turn Directions					with Navigation	with Navigation	•

Instrumentation

DESCRIPTION	LX	Sport	Sport Special Edition	EX	EX-L	EX-L V6	Touring
12-Volt Battery-Charging System Indicator	•	•	•	•	•	•	•
Adaptive Cruise Control (ACC) On and System Indicators	Honda Sensing	Honda Sensing		Honda Sensing	Honda Sensing	Honda Sensing	•

Lane Keeping Assist System (LKAS) On and System Indicators	Honda Sensing	Honda Sensing		Honda Sensing	Honda Sensing	Honda Sensing	•
Collision Mitigation Braking System (CMBS) Indicator	Honda Sensing	Honda Sensing		Honda Sensing	Honda Sensing	Honda Sensing	•
Road Departure Mitigation (RDM) System Indicator	Honda Sensing	Honda Sensing		Honda Sensing	Honda Sensing	Honda Sensing	•
(ABS) Indicator	•	•	•	•	•	•	•
Airbag System Indicator	•	•	•	•	•	•	•
Brake System Indicator	•	•	•	•	•	•	•
ECON Mode Indicator	•	•	•	•	•	•	•
Electric Power Steering (EPS) Indicator	•	•	•	•	•	•	•
Door- and Trunk-Open Indicator	•	•	•	•	•	•	•
Fuel Level Indicator	•	•	•	•	•	•	•
Headlights-On Indicator	•	•	•	•	•	•	•
High-Beam Indicator	•	•	•	•	•	•	•
Immobilizer System Indicator	•	•	•	•	•	•	•
Low-Fuel Indicator	•	•	•	•	•	•	•
Low-Oil Pressure Indicator	•	•	•	•	•	•	•
Low-Tire Pressure/TMPS Indicator	•	•	•	•	•	•	•
Maintenance Minder™ Indicator	•	•	•	•	•	•	•
Malfunction Indicator	•	•	•	•	•	•	•
Seat-Belt Reminder Indicator	•	•	•	•	•	•	•
System Message Indicator	•	•	•	•	•	•	•
Tachometer	•	•	•	•	•	•	•
VSA System and VSA-Off Indicators	•	•	•	•	•	•	•
Fog Lights Indicator		•	•	•	•	•	•
Security System Indicator		•	•	•	•	•	•
Turn Signal/Hazard Indicators	•	•		•	•		
Parking Sensor System Indicator							•
Auto High-Beam Indicator							

Disclaimers

1 Does not apply to fluid and filter changes. Will vary with driving conditions. Please see your Honda dealer for details.

braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.

- 2 CVT and 6AT models are PZEV-rated in California and states that have adopted California vehicle emission regulations. CVT models in non-CARB states are LEV3-SULEV30-rated. 6AT models in all 50 states are LEV3-ULEV125-rated.
- 3 Based on 2017 EPA mileage ratings. Use for comparison purposes only. Your mileage will vary depending on how you drive and maintain your vehicle, driving conditions and other factor
- 4 VSA is not a substitute for safe driving. It cannot correct the vehicle's course in every situation or compensate for reckless driving. Control of the vehicle always remains with the second of the vehicle always remains a second of the vehicle alwa
- 5 Always visually confirm that it is safe to drive before backing up; the rearview camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about all conditions and objects at the rear camera display does not provide complete information about the rear camera display does not provide complete information a
- 6 For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see your Honda dealer for details.

 7 FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior h
- 8 LDW only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 9 CMBS cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior crash forces. Driver remains responsible for safely operating vehicle and avoiding collisions.
- Road Departure Mitigation only alerts drivers when lane drift is detected without a turn signal in use and can apply mild steering torque to assist driver in maintaining proper lar 10 the vehicle's departure from a detected lane. Road Departure Mitigation may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road cor by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 11 LKAS only alerts drivers when lane drift is detected without a turn signal in use and can apply mild steering torque to assist driver in maintaining proper lane position. LKAS may departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicles.

12	CC cannot detect all objects	ahead and may not	detect a given of	ject; accurac	y will	vary based on	weather,	speed and other	factors.	ACC should not	be used	in heavy	traffic,	poor
12	river remains responsible to	slow or stop the v	vehicle to avoid a	collision.										

- 13 Display accuracy will vary based on weather, size of object and speed, and the display may not show all relevant traffic. The display is not a substitute for your own direct visual changing lanes.
- 14 $\operatorname{HomeLink}^{\oplus}$ is a registered trademark of Gentex Corporation.
- 15 The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license.
- Pandora, the Pandora logo, and the Pandora trade dress are trademarks or registered trademarks of Pandora Media, Inc. Used with permission. Compatible with select smartphones. See: www.pandora.com/everywhere/mobile. Not all devices compatible with USB connection. Your wireless carrier's rate plans apply.
- 17 Compatible with select phone Bluetboth. Your wireless carrier's rate plans apply. State or local laws may limit use of texting feature. Only use texting feature when conditions allow
- The USB Audio Interface is used for direct connection to and control of some current digital audio players and other USB devices that contain MP3, WMA or AAC music files. Some USB and digital rights-protected files mathematical timerkiondalink® website for smartphone completeiselisee, your Honda dealer for details.
- 19 Check the HondaLinkebsite for smartphone compatibility.
- 20 Apple CarPlay is a trademark of Apple Inc.
- 21 Android and Android Auto are trademarks of Google Inc.
- SiriusXM services require a subscription after any trial period. If you decide to continue your SiriusXM service at the end of your trial subscription, the plan you choose will aut 22 rates until you call SiriusXM at 1-866-635-2349 to cancel. See our Customer Agreement for complete terms at www.siriusxm.com. Fees and programming subject to change. XM satellite s those at least 18 years and older in the 48 contiguous United CSL'a SariamsXMD Rādiô Inc. Sirius, XM and all related marks and logos are trademarks of SiriusXM Radio Inc.
- 23 HD Radio is a proprietary trademark of iBiquity Digital Corporation.
- The Honda Satellite-Linked Navigation System is available on EX-L models and standard on Touring models in the United States, Canada and Puerto Rico. (Honda HD Digital Traffic ser available in the United States, except Alaska). Please see your Honda dealer for details.
- The Honda Satellite-Linked Navigation System is standard on the Touring model in the United State only available in the United States, except Alaska). Please see your Honda dealer for details.